

100




FIG. 1
(Prior Art)

FIG. 2A




FIG. 2A


```

<!DOCTYPE LOGFILE [
  <!ELEMENT LOGFILE (TEST)>
    <!ELEMENT TEST (TEST-NAME, TEST-CASE, TEST-SUMMARY)>
      <!ATTLIST TEST
        SUITE-NAME CDATA #REQUIRED
        CATEGORY CDATA #REQUIRED
      >
      <!ELEMENT TEST-NAME (#PCDATA)>
      <!ELEMENT TEST-CASE (TEST-CASE-ID, TEST-CASE-DESC)>
      <!ELEMENT TEST-SUMMARY (TEST-CASES-PASSED, TEST-CASES-FAILED)>
        <!ATTLIST TEST-CASE-ID STATUS CDATA #REQUIRED>
        <!ELEMENT TEST-CASE-DESC (#PCDATA)>
        <!ELEMENT TEST-CASES-PASSED (#PCDATA)>
        <!ELEMENT TEST-CASES-FAILED (#PCDATA)>
    ]>
  
```

Handwritten reference numbers and their corresponding elements:

- 302 points to `<!ELEMENT TEST (TEST-NAME, TEST-CASE, TEST-SUMMARY)>`
- 310 points to `<!ATTLIST TEST`
- 312 points to `SUITE-NAME CDATA #REQUIRED`
- 314 points to `CATEGORY CDATA #REQUIRED`
- 304 points to `<!ELEMENT TEST-NAME (#PCDATA)>`
- 306 points to `<!ELEMENT TEST-CASE (TEST-CASE-ID, TEST-CASE-DESC)>`
- 308 points to `<!ELEMENT TEST-SUMMARY (TEST-CASES-PASSED, TEST-CASES-FAILED)>`
- 314 points to `<!ATTLIST TEST-CASE-ID STATUS CDATA #REQUIRED>`
- 316 points to `<!ELEMENT TEST-CASE-DESC (#PCDATA)>`
- 318 points to `<!ELEMENT TEST-CASES-PASSED (#PCDATA)>`
- 320 points to `<!ELEMENT TEST-CASES-FAILED (#PCDATA)>`

FIG. 3

400





FIG. 4

FIG. 5






FIG. 6




FIG. 7